

CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method of providing access protection in a digital television distribution system having a master headend and at least one local headend, comprising:
defining first authorization data associated with content services;
protecting said content services at said master headend; protecting said first authorization data at said master headend; and
generating digital transport stream data from said protected content services and said protected authorization data for transmission to each said at least one local headend.
2. (Original) The method of claim 1, further comprising:
defining second authorization data associated with said digital transport stream data; and
multiplexing said second authorization data with said digital transport stream data.
3. (Original) The method of claim 1, wherein said first authorization data comprises first entitlement management messages configured to authorize set-top boxes for viewing said content services, and wherein said step of protecting said content services comprises encrypting said content services.

4. (Original) The method of claim 3, wherein said step of protecting said first authorization data comprises:

generating at least one service in response to said first entitlement management messages; and

encrypting said at least one service to generate encrypted service data.

5. (Original) The method of claim 4, further comprising:

defining second entitlement management messages configured to authorize receiver circuitry of each said at least one local headend for decrypting one or more services of said encrypted service data; and

multiplexing said second entitlement management messages with said digital transport stream data.

6. (Original) The method of claim 5, further comprising:

modulating a carrier with said digital transport stream data;

transmitting said carrier to each said at least one local headend via a shared distribution medium;

demodulating said carrier at each said at least one local headend to recover said digital transport stream data; and

decrypting one or more services of said encrypted service data in response to said second entitlement management messages.

7. (Original) The method of claim 6, further comprising:

modulating a second carrier with said digital transport stream data; and
transmitting said second carrier over a cable transmission path to set-top boxes.

8. (Original) An apparatus for providing access protection in a digital television distribution system having a master headend and at least one local headend, the apparatus comprising:

a first conditional access system for defining first authorization data associated with content services;

a first encryption unit, disposed in said master headend, for encrypting said content services;

a second encryption unit, disposed in said master headend, for encrypting said first authorization data; and

a multiplexer for multiplexing said encrypted content services and said encrypted first authorization data to generate digital transport stream data for transmission to each said at least one local headend over a shared distribution medium.

9. (Original) The apparatus of claim 8, further comprising:

a second conditional access system for defining second authorization data associated with said digital transport stream data;

where said multiplexer multiplexes said second authorization data with said digital transport stream data.

10. (Original) The apparatus of claim 8, wherein said first authorization data comprises first entitlement management messages configured to authorize set-top boxes for viewing said content services.

11. (Original) The apparatus of claim 10, further comprising:
a second multiplexer for multiplexing said first entitlement management messages with control data to generate at least one service;
where said second encryption unit encrypts said at least one service to generate encrypted service data.

12. (Original) The apparatus of claim 11, further comprising:
a second conditional access system for defining second entitlement management messages configured to authorize receivers of each said at least one local headend for decrypting one or more services of said encrypted service data wherein said multiplexer multiplexes said second entitlement management messages with said digital transport stream data.

13. (Original) The apparatus of claim 8, wherein said shared distribution medium comprises at least one of a satellite link, a terrestrial broadcast link, a fiber distribution medium, and the Internet.

14. (Currently amended) A digital television distribution system, comprising: a master headend for transmitting television signals over a shared distribution medium, said master headend comprising:

a first conditional access system for defining first authorization data associated with content services;

a first encryption unit for encrypting said content services;

a second encryption unit for encrypting said first authorization data;

a multiplexer for multiplexing said encrypted content services and said encrypted first authorization data to generate digital transport stream data; and

a modulator for modulating a carrier with said digital transport stream data; and

a local headend for receiving said television signals from [[said]] a satellite, said local headend comprising:

a demodulator for demodulating said carrier to recover said digital transport stream data; and

a decoder for decrypting said first authorization data.

15. (Original) The system of claim 14, wherein said master headend further comprises:

a second conditional access system for defining second authorization data associated with said digital transport stream data;

where said multiplexer multiplexes said second authorization data with said digital transport stream data.

16. (Original) The system of claim 14, wherein said first authorization data comprises first entitlement management messages configured to authorize set-top boxes for viewing said content services.

17. (Original) The system of claim 16, wherein said master headend further comprises:

a second multiplexer for multiplexing said first entitlement management messages with control data to generate at least one service;

where said second encryption unit encrypts said at least one service to generate encrypted service data.

18. (Original) The system of claim 17, wherein said master headend further comprises:

a second conditional access system for defining second entitlement management messages configured to authorize said decoder of said local headend for decrypting one or more services of said encrypted service data wherein said multiplexer multiplexes said second entitlement management messages with said digital transport stream data.

19. (Original) The system of claim 14, wherein said shared distribution medium comprises at least one of a satellite link, a terrestrial broadcast link, a fiber distribution medium, and the Internet.

20. (Original) An apparatus for providing access protection in a digital television distribution system having a master headend and at least one local headend, the method comprising:

means for defining first authorization data associated with content services;

means for protecting said content services at said master headend;

means for protecting said first authorization data at said master headend; and

means for generating digital transport stream data from said protected content services and said protected authorization data for transmission to each said at least one local headend over a shared distribution medium.